

ARMSTRONG - STEAM & ENGINEERING

FROM CONCEPT TO CONCLUSION

PRODUCT DATA SHEET

PRODUCT # SEP-9000 - 300

ISSUED 7/2000

DESCRIPTION



CAST STEEL FLANGED SWING CHECK. BOLTED COVER.
 13% CR STAINLESS STEEL TRIM WITH STELLITE FACED SEAT RING
 FLANGED AND DRILLED ANSI 300 RF.
 ALSO AVAILABLE FLANGED ANSI 150 AND ANSI 600.

COLD WORKING PRESSURE : 5100 KPA

SATURATED STEAM PRESSURE : 2100 KPA

MAX TEMPERATURE :

425 DEG C.



SIZE	A	B	CV	KG	PART NAME	MATERIAL	OPTIONAL	OPTIONAL
50	287	170	130	27				
65	292	210	191	33	BODY	A216 - WCB	316 S/S	NYLON COATED
80	318	220	301	50	CAP	A216 - WCB	316 S/S	NYLON COATED
100	356	245	536	83	DISC	13% CR	316 S/S	RUBBER COATED
150	444	300	1272	149	SEAT	13% CR H.F.	316 S/S	
200	533	350	2266	270	GASKET	NON ASBESTOS	PTFE	
250	622	370	3656	411				
300	711	430	5282	553				

ALL DIMENSIONS ARE IN MM AND ARE APPROXIMATE ONLY IF CRITICAL PLEASE CONFIRM